



Since 1938

2020 CLASS II, III & IV TRAILER HITCH APPLICATIONS

Always check your owners manual for the maximum towing and load capacities for your vehicle.

Questions? Call 800-821-7576 or 816-921-0444 Monday through Friday, 8:00-4:30 CST.

Part numbers printed in red indicate no drilling required.

SEE
COUNTER
PERSON FOR
SPECIAL
ORDERS

ACME APPLICATIONS BY VEHICLE		Class II Receiver		Class III Receiver		Class IV Receiver		
VEHICLE MAKE & MODEL	YEAR	Universal to 3500 lbs 1 1/4" Receiver	One Piece to 3500 lbs 2" Receiver	Universal to 5000 lbs 2" Receiver	One Piece to 5000 lbs 2" Receiver	Universal to 7500 lbs 2" Receiver	One Piece to 7500 lbs 2" Receiver	One Piece to 10,000 lbs 2" Receiver
		BUICK						
Enclave	2007-2017				91538 (0)			
Terraza	2005-2007		91456 (0)					
CHEVROLET TRUCKS & VANS								
Astrovan Standard	1985-94	88202 (0)	91446 (4)					
Astrovan Extended	1985-2005	88202 (0)	91446 (0)					
Avalanche	2002-2006						91472 (0)	
Blazer, Full Size	1978-87	88202 (4)						
Blazer, Full Size	1992-94						91430 (0)	
Tahoe, Classic	1995-2000						91430 (0)	
Tahoe, New Style	2000-2006						91472 (0)	
Blazer, S-10	1983-94	88202 (2)			91438 (0)			
Blazer, Downsized	1995-2005				91434 (4)			
Colorado	2004-2012				91495 (0)			
Colorado	2015-2020							
Equinox	2005-2017		91512 (0)					91540 (0) M
Pickup, Full Size	1968-87			88302 (4) I				91403 (6)
Pickup, Full Size	1988-98			88302 (2) I			91409 (0)	91404 (2) I
With 10" Drop Bumper								91406 (0)
With 12" Drop Bumper								91460 (0)
With 12" Drop Bumper								91458 (0)
Pickup, Classic C/K Series 3/4 & 1-Ton	1999-2000						91409 (0)	91406 (0)
With 10" Drop Bumper								91460 (0)
With 12" Drop Bumper								91458 (0)
Pickup, Silverado, 1500 LD, 1500 HD & 2500 LD	1999-2006						91409 (2)	91454 (0)
Pickup, Classic Silverado, 1500 LD & 1500 HD	2007						91409 (2)	91454 (0)
Pickup, Silverado, 1500 (New Body Style)	2007-2018							91510 (0)
Pickup, Silverado, 1500 Long Bed	2019-2020							91555(0)
Pickup, Silverado, 1500 Short Bed	2019-2020							91556(0)
Pickup, Silverado, 2500 HD & 3500 Shortbed Only	2001-2006							91477 (0)
Pickup, Silverado, 2500 HD & 3500 Shortbed Only (Classic & New Body Style)	2007-2010							91477 (0)
Pickup, Silverado, 2500 HD & 3500 Longbed Only	2001-2006							91478 (0)
Pickup, Silverado, 2500 HD & 3500 Longbed Only (Classic & New Body Style)	2007-2010							91478 (0)
Pickup, Silverado, 2500 HD & 3500 Longbed Only w/ 10" Drop Bumper	2001-2010							91515 (0)
Pickup, Silverado, 2500 HD & 3500 Longbed Only w/ 10" Drop Bumper	2011-2019							91527 (0)
Pickup, Silverado, 2500 HD & 3500 Longbed Only	2011-2019							91525 (0)
Pickup, Silverado, 2500 HD & 3500 Shortbed Only	2011-2019							91529 (0)
Pickup, 3500 Cab & Chassis	1999-2013							91602 (10) L 91603 (10) L
Pickup, S-10	1982-93	88202 (4) A			91435 (4)			
Pickup, S-10 Longbed Only	1982-93	88202 (4)		88302 (6) ** A	91435 (4)			
Pickup, S-10 Sportside	1994-2004				91485 (0)			
Pickup, S-10 (Except Sportside)	1994-2004	88202 (4) A			91436 (0)			
Suburban	1973-91							91480 (4)
Suburban, Classic	1992-99							91430 (0)
Suburban, New Style	2000-2006							91472 (0)
Geo Tracker	1989-98	88202 (0)						
Tracker	1999-2004	88202 (0)	91468 (0)					
Traverse	2009-2017						91538 (0)	
Uplander	2005-2009		91456 (0)					
Van, Full Size	1978-95							91447 (0)
Van, Full Size, Express	1996-2020							91431 (0)
Venture Minivan	1997-2005		91456 (0)					
CHRYSLER VANS								
Aspen	2007-2008							91497 (0)
Town & Country Minivan (Except Slow N Go Seats)	1996-2006	88203 (2) G	91470 (0)					

(A) May require some exhaust pipe modification, or relocation of tailpipe holder.

(B) Spare tire holder must be moved.

(C) Do not mount frame arm against brake line.

(D) Gas tank must be dropped to install bolts through frame.

(E) Maximum rating on Windstar is 2000 lbs. GTW.

(F) Make sure gas tank filter hose does not rub on hitch.

(G) Full size spare must be moved.

(H) Must relocate spare if equipped with 17" wheels

(I) 1/2 ton only.

(J) 1 1/4" Receiver.

(L) Combination pintle mount (16,000 lbs.) and receiver hitch (10,000 lbs.)

(M) Max. Gross Trailer Weight - 6,000 lbs.

** 4 Wheel Drive Only

(#) = Number of holes to be drilled in frame. Example - Ford Ranger Pickup 1983-2011 Hitch 91440 (0) = 0 holes to be drilled.



Since 1938

2020 CLASS II, III & IV TRAILER HITCH APPLICATIONS

Always check your owners manual for the maximum towing and load capacities for your vehicle.

Questions? Call 800-821-7576 or 816-921-0444 Monday through Friday, 8:00-4:30 CST.

Part numbers printed in red indicate no drilling required.

SEE
COUNTER
PERSON FOR
SPECIAL
ORDERS

ACME APPLICATIONS BY VEHICLE		Class II Receiver		Class III Receiver		Class IV Receiver		
		Universal to 3500 lbs 1 1/4" Receiver	One Piece to 3500 lbs 2" Receiver	Universal to 5000 lbs 2" Receiver	One Piece to 5000 lbs 2" Receiver	Universal to 7500 lbs 2" Receiver	One Piece to 7500 lbs 2" Receiver	One Piece to 10,000 lbs 2" Receiver
VEHICLE MAKE & MODEL	YEAR							
CHYSLER VANS - CONTINUED								
Town & Country Minivan With Stow N Go Seats	2005-2007		91507 (0)					
Town & Country Minivan	2008-2016		91514 (0)					
DODGE TRUCKS & VANS								
Caravan & Grand Caravan (Except Stow N Go Seats)	1996-2006	88203 (2) G	91470 (0)					
Grand Caravan With Stow N Go Seats	2005-2007		91507 (0)					
Grand Caravan	2008-2020		91514 (0)					
Dakota, All	1987-96			88302 (2)				
Dakota, All	1997-2004			88302 (4)		91409 (2) A	91450 (2)	
Dakota, All	2005-2011						91508 (0)	
Durango	1998-2003				91461 (2)			
Durango	2004-2010						91497 (0)	
Durango	2011-2020				91531 (0)			
Pickup, Full Size, All	1974-93			88302 (2)			91405 (2)	
Pickup, Full Size, Shortbed, All	1994-98			88302 (4)		91409 (2)	91405 (2)	91407 (0)
Pickup, Full Size, Longbed, All	1994-98			88302 (4)		91409 (0)	91405 (2)	91407 (0)
Pickup, Full Size, All	1994-98							
With 10" Drop Bumper								91490 (0)
With 12" Drop Bumper								91491 (0)
Pickup, Full Size, Shortbed, All	1999-2001					91409 (2)		91465 (2)
Pickup, Full Size, Longbed, All	1999-2001					91409 (0)		91465 (0)
Pickup, Full Size, Quad Cab	2001					91409 (2)		91465 (2)
Pickup, Full Size 2500 & 3500	2002					91409 (2)		91465 (2)
Pickup, Full Size, 1500	2002				91489 (0)			91488 (6)
Pickup, Full Size, All (Built after 11/2002)	2003-2008						91522 (0) M	91488 (6)
Pickup, Full Size, 2500 & 3500	2009-2010						91522 (0) M	91488 (6)
Pickup, Full Size, 1500	2009-2010						91522 (0) M	
RAM 1500	2011-2018						91522 (0) M	
RAM 1500 Classic	2019						91522 (0) M	
RAM 2500 & 3500	2011-2016						91522 (0) M	91488 (6)
RAM 2500	2017-2019						91522 (0) M	91488 (6)
RAM 3500	2017-2019						91522 (0) M	91544 (6)
RAM C/V Minivan	2012-2015		91514 (0)					
Ramcharger	1974-77			88302 (6)				
Ramcharger	1978-93	88202 (2)		88302 (4)				
Van, Full Size	1978-97				91437 (0) F			
Van, Full Size	1998-2004			88302 (4)	91462 (0)			
FORD TRUCKS & VANS								
Bronco, Full Size	1978-96			88302 (6) D				
Bronco, Full Size	1988-96					91409 (4) D	91404 (6) D	91406 (6) D
Escape	2001-2004		91482 (4)					
Escape (except Hybrid)	2005-2012		91499 (1)					
Explorer	1991-94	88202 (4)			91464 (2)			
Explorer	1995-2001	88202 (4)			91464 (0)			
Explorer Sport	2002-2003				91464 (0)			
Explorer Sport Trac	2001-2005				91474 (0)			
Expedition	1997-2002						91449 (2)	
Pickup, Full Size, All	1973-96			88302 (6)		91409 (4)	91405 (6)	91407 (6)
								91465 (6)
Pickup, Full Size, With 10" Drop Bumper	1973-96							91490 (6)
With 12" Drop Bumper								91491 (6)
Pickup, Full Size, HD F250 & F350	1997			88302 (6)		91409 (4)	91405 (6)	91407 (6)
								91465 (6)
Pickup, HD F250 & F350	1997							
With 10" Drop Bumper								91490 (6)
With 12" Drop Bumper								91491 (6)
Pickup, Full Size, F150 & F250 LD	1997-2003			88302 (4) H		91409 (2) H		91448 (0)
Pickup, F150, Super Crew	2001-2003					91409 (2)		91448 (0)
Pickup, Full Size, F150 Heritage	2004			88302 (4) H		91409 (2) H		91448 (0)
Pickup, Full Size, F150 & Super Crew	2004-2005							91494 (6)
Pickup, Full Size, F150	2006-2008							91506 (0)
Pickup, Full Size, F150	2009-2014							
Pickup, Full Size, F150	2015-2020						91518 (0) M	
							91539 (0) M	
Pickup, Full Size, SD F250 & F350	1999-2016					91409 (0)		91459 (0)
Pickup, Full Size, SD F250 & F350	1999-2016							
with 10" Drop Bumper								91519 (0)
Pickup, Full Size, SD F250 & 350	2017-2019							91542 (0)
Pickup, F350-F550, Cab & Chassis	1999-2020							91471 (2) L
								91481 (2)
								91601 (2) L
Ranger	1983-2011	88202 (0)	91475 (0) J		91440 (0)			
Transit, 150-350	2015-2020						91536 (0) M	

(A) May require some exhaust pipe modification, or relocation of tailpipe holder.
 (B) Spare tire holder must be moved.
 (C) Do not mount frame arm against brake line.
 (D) Gas tank must be dropped to install bolts through frame.

(E) Maximum rating on Windstar is 2000 lbs. GTW.
 (F) Make sure gas tank filter hose does not rub on hitch.
 (G) Full size spare must be moved.
 (H) Must relocate spare if equipped with 17" wheels
 (I) 1/2 ton only.

(J) 1 1/4" Receiver.
 (L) Combination pintle mount (16,000 lbs.) and receiver hitch (10,000 lbs.)
 (M) Max. Gross Trailer Weight - 6,000 lbs.
 ** 4 Wheel Drive Only

(#) = Number of holes to be drilled in frame. Example - Ford Ranger Pickup 1983-2011 Hitch 91440 (0) = 0 holes to be drilled.



2020 CLASS II, III & IV TRAILER HITCH APPLICATIONS

Always check your owners manual for the maximum towing and load capacities for your vehicle.

Questions? Call 800-821-7576 or 816-921-0444 Monday through Friday, 8:00-4:30 CST.

SEE
COUNTER
PERSON FOR
SPECIAL
ORDERS

Since 1938

Part numbers printed in red indicate no drilling required.

ACME APPLICATIONS BY VEHICLE		Class II Receiver		Class III Receiver		Class IV Receiver		
		Universal to 3500 lbs 1 1/4" Receiver	One Piece to 3500 lbs 2" Receiver	Universal to 5000 lbs 2" Receiver	One Piece to 5000 lbs 2" Receiver	Universal to 7500 lbs 2" Receiver	One Piece to 7500 lbs 2" Receiver	One Piece to 10,000 lbs 2" Receiver
VEHICLE MAKE & MODEL	YEAR							
FORD TRUCKS & VANS - CONTINUED								
Van, Aerostar	1986-97	88202 (4) B						
Van, Aerostar Extended	1986-97	88202 (4)	91443 (4)	88302 (6)				
Van, Freestar	2004-2007		91505 (0)					
Van, Full Size	1980-91							
Van, Full Size	1992-2014	88202 (2)						91432 (2)
Van, Windstar	1995-2004	88203 (2) E	91473 (2) E					91432 (2)
GMC TRUCKS & VANS								
Acadia	2007-2017				91538 (0)			
Canyon	2004-2012				91495 (0)			
Canyon	2015-2020						91540 (0) M	
Jimmy, Full Size	1978-87	88202 (4)						
Jimmy, S-15	1983-94	88202 (2)			91438 (0)			
Jimmy, Downsized	1995-2001				91434 (4)			
Pickup, Full Size	1968-87			88302 (4) I			91403 (6)	
Pickup, Full Size	1988-98			88302 (2) I		91409 (0)	91404 (2) I	91406 (0)
With 10" Drop Bumper								91460 (0)
With 12" Drop Bumper								91458 (0)
Pickup, Classic C/K Series 3/4 & 1-Ton	1999-2000					91409 (0)		91406 (0)
With 10" Drop Bumper								91460 (0)
With 12" Drop Bumper								91458 (0)
Pickup, Sierra, 1500 LD, 1500 HD & 2500 LD	1999-2006					91409 (2)		91454 (0)
Pickup, Classic Sierra, 1500 LD & 1500 HD	2007					91409 (2)		91454 (0)
Pickup, Sierra, 1500 (New Body Style)	2007-2018							91510 (0)
Pickup, Sierra, 1500 Long Bed	2019-2020							91555 (0)
Pickup, Sierra, 1500 Short Bed	2019-2020							91556 (0)
Pickup, Sierra, 2500 HD & 3500 Shortbed Only	2001-2006							91477 (0)
Pickup, Sierra, 2500 HD & 3500 Shortbed Only (Classic & New Body Style)	2007-2010							91477 (0)
Pickup, Sierra, 2500 HD & 3500 Longbed Only	2001-2006							91478 (0)
Pickup, Sierra, 2500 HD & 3500 Longbed Only (Classic & New Body Style)	2007-2010							91478 (0)
Pickup, Sierra, 2500 HD & 3500 Longbed Only w/ 10" Drop Bumper	2001-2010							91515 (0)
Pickup, Sierra, 2500 HD & 3500 Longbed Only w/ 10" Drop Bumper	2011-2019							91527 (0)
Pickup, Sierra, 2500 HD & 3500 Shortbed Only	2011-2019							91529 (0)
Pickup, Sierra, 2500 HD & 3500 Longbed Only	2011-2019							91525 (0)
Pickup, S-15	1982-93	88202 (4) A			91435 (4)			
Pickup, S-15, Longbed Only	1982-93	88202 (4)		88302 (6) **A	91435 (4)			
Sonoma (Except Sportside)	1994-2004	88202 (4) A			91436 (0)			
Sonoma, Sportside	1994-2004				91485 (0)			
Suburban	1973-91						91480 (4)	
Suburban, Classic	1992-2000						91430 (0)	
Terrain	2010-2017		91512 (0)					
Van, Safari, Standard	1985-94	88202 (0)	91446 (4)					
Van, Safari, Extended	1985-2005	88202 (0)	91446 (0)					
Van, Full Size	1978-95						91447 (0)	
Van, Savana	1996-2020						91431 (0)	
Yukon, Classic	1992-2000						91430 (0)	
Yukon, New Style & XL	2000-2006						91472 (0)	
ISUZU								
Axiom	2002-2004				91483 (0)			
Pickup, Hombre, All	1996-2000				91436 (0)			
Pickup, i-280 & i-350	2006				91495 (0)			
Pickup, i-290 & i-370	2007-2008				91495 (0)			
Rodeo	1998-2004				91483 (0)			
Trooper	1992-2002				91487 (1)			
JEEP								
Cherokee	1984-2001	88203 (2)			91451 (0)			
Grand Cherokee	1993-98	88202 (0)			91445 (0)			
Grand Cherokee	1999-2004				91463 (0)			
Grand Cherokee	2011-2020				91531 (0)			
Liberty	2002-2007				91484 (0)			

JEEP Continued on Next Page

(A) May require some exhaust pipe modification, or relocation of tailpipe holder.
 (B) Spare tire holder must be moved.
 (C) Do not mount frame arm against brake line.
 (D) Gas tank must be dropped to install bolts through frame.

(E) Maximum rating on Windstar is 2000 lbs. GTW.
 (F) Make sure gas tank filter hose does not rub on hitch.
 (G) Full size spare must be moved.
 (H) Must relocate spare if equipped with 17" wheels
 (I) 1/2 ton only.

(J) 1 1/4" Receiver.
 (L) Combination pintle mount (16,000 lbs.) and receiver hitch (10,000 lbs.)
 (M) Max. Gross Trailer Weight - 6,000 lbs.
 ** 4 Wheel Drive Only

(#) = Number of holes to be drilled in frame. Example - Ford Ranger Pickup 1983-2011 Hitch 91440 (0) = 0 holes to be drilled.



Since 1938

2020 CLASS II, III & IV TRAILER HITCH APPLICATIONS

Always check your owners manual for the maximum towing and load capacities for your vehicle.

Questions? Call 800-821-7576 or 816-921-0444 Monday through Friday, 8:00-4:30 CST.

Part numbers printed in red indicate no drilling required.

SEE
COUNTER
PERSON FOR
SPECIAL
ORDERS

ACME APPLICATIONS BY VEHICLE		Class II Receiver		Class III Receiver		Class IV Receiver		
		Universal to 3500 lbs 1 1/4" Receiver	One Piece to 3500 lbs 2" Receiver	Universal to 5000 lbs 2" Receiver	One Piece to 5000 lbs 2" Receiver	Universal to 7500 lbs 2" Receiver	One Piece to 7500 lbs 2" Receiver	One Piece to 10,000 lbs 2" Receiver
VEHICLE MAKE & MODEL	YEAR							
JEEP - CONTINUED								
Wrangler	1997-2006		91466 (0)					
Wrangler & Wrangler Unlimited	2007-2020		91520 (0)					
MAZDA								
Navajo	1991-94	88202 (4)			91464 (2)			
Pickup, All	1994-2009	88202 (0)	91475 (0) J		91440 (0)			
Tribute	2002-2004		91482 (4)					
Tribute	2005-2011		91499 (1)					
MERCURY								
Mariner (Except Hybrid)	2005-2011		91499 (1)					
Monterey	2004-2007		91505 (0)					
Mountaineer	1996-2001	88202 (4)			91464 (0)			
MITSUBISHI								
Montero	2001-2004				91479 (0)			
Montero Sport	1998-2004				91486 (0)			
Raider	2006-2009						91508 (0)	
NISSAN								
Frontier	1998-99				91457 (4)			
Frontier	2000-2004				91457 (0)			
Pathfinder	1987-95		91453 (4)					
Pathfinder	1996-2004				91476 (0)			
Pickup, All	1986-97		91439 (2)					
Titan	2004-2009							91501 (0)
OLDSMOBILE								
Bravada	1991-94	88202 (2)			91438 (0)			
Bravada	1996-2001				91434 (4)			
Silhouette	1997-2004		91456 (0)					
PONTIAC								
Torrent	2006-2009		91512 (0)					
Transport	1997-98		91456 (0)					
Montana	1999-2005		91456 (0)					
Montana SV6	2005-2007		91456 (0)					
SATURN								
Outlook	2007-2010				91538(0)			
Relay	2005-2007		91456 (0)					
Vue (Except Redline)	2002-2007		91512 (0)					
SUZUKI								
Vitara & Grand Vitara	1999-2005	88202 (0)	91468 (0)					
XL7	2002-2006	88202 (0)	91468 (0)					
TOYOTA								
4-Runner	1996-2003				91467 (0)			
Pickup, T-100, All	1993-98				91433 (0)			
Pickup, Tacoma, All	1995-2004				91441 (0)			
Pickup, Tacoma, All	2005-2015				91509 (0)			
Pickup, Tundra	2000-2006					91409 (4)	91469 (2)	
Pickup, All	1984-94				91442 (0)			
VOLKSWAGEN								
Routan	2009-2012		91514 (0)					

- (A) May require some exhaust pipe modification, or relocation of tailpipe holder.
- (B) Spare tire holder must be moved.
- (C) Do not mount frame arm against brake line.
- (D) Gas tank must be dropped to install bolts through frame.

- (E) Maximum rating on Windstar is 2000 lbs. GTW.
- (F) Make sure gas tank filter hose does not rub on hitch.
- (G) Full size spare must be moved.
- (H) Must relocate spare if equipped with 17" wheels
- (I) 1/2 ton only.

- (J) 1 1/4" Receiver.
- (L) Combination pintle mount (16,000 lbs.) and receiver hitch (10,000 lbs.)
- (M) Max. Gross Trailer Weight - 6,000 lbs.
- ** 4 Wheel Drive Only

(#) = Number of holes to be drilled in frame. Example - Ford Ranger Pickup 1983-2011 Hitch 91440 (0) = 0 holes to be drilled.

Custom Fit One-Piece Welded Hitches Powder Coat Finish for Durability Easy to Follow Instructions

- Class II rated up to 3,500 lbs.
- Class III rated up to 5,000 lbs.
- Class IV rated up to 10,000 lbs.

MANY NO-DRILL APPLICATIONS:

- Chevy, Dodge & Ford Full Size Trucks
 - Chevy & Dodge Full Sized Vans
- Suburbans, Cherokees & Explorers
- Tahoes, Yukons, Rangers & S-10s

ACME PRODUCTS COMPANY

4347 Clary Blvd. • Kansas City, MO 64130

800-821-7576 FAX 816-921-8451

Questions? E-mail: steve@acmehitch.com